

FIG. 1






FIG. 3





0967439-052000



0967439-052000





FIG. 8








FIG. 10




FIG. 11



FIG. 12




FIG. 12a




FIG. 13




FIG. 14




FIG. 15




FIG. 16








Figure 1 consists of 12 histograms arranged in a single column. Each histogram represents the distribution of the number of non-zero elements in the vector  $x$  for a specific value of  $n$ . The values of  $n$  are 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, and 120, labeled on the right side of each plot. The x-axis for all plots is labeled 'Number of non-zero elements' and ranges from 0 to 120. The y-axis is labeled 'Frequency' and ranges from 0 to 10. As  $n$  increases, the distribution of non-zero elements shifts to the right, with the peak frequency increasing and the range of non-zero elements expanding.




FIG. 19




FIG. 20




FIG. 21




FIG. 22





FIG. 23












FIG. 28













FIG. 38










FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46







● DRAGGABLE COMMAND ~ 998

FIG. 49





The diagram shows a 'COMPOSE FAX' form with the following elements:

- Header:** 'COMPOSE FAX' on the left and 'PAGE 1 OF 2' followed by a dashed box containing 'DATE & TIME' on the right.
- FROM Section:** A dashed box containing 'USER NAME' and 'FAX NUMBER'.
- Message Section:** A large rectangular area labeled 'MESSAGE' containing 'FAX MESSAGE PART 1'.
- Buttons:** 'BLANK FORM' at the bottom left and 'SEND' at the bottom right.
- Labels and Callouts:**
  - 513 points to the left side of the form.
  - 515 points to the 'BLANK FORM' button.
  - 516 points to the 'FAX NUMBER' field.
  - 517 points to the 'ALLOW REPLY' checkbox.
  - 518 points to the right side of the message area.
  - 519 points to the 'SEND' button.

FIG. 54

COMPOSE FAX

PAGE 2 OF 2

DATE & TIME

FAX MESSAGE PART 2

~ 520 ~

513

SEND

FIG. 55

FAX MESSAGE		PAGE 1 OF #	DATE & TIME
FROM	USER NAME		
REPLY FAX	REPLY FAX NUMBER		
MESSAGE			
FAX MESSAGE PART 1			
~ 530 ~			

521

FIG. 56

0955139-05200

FAX MESSAGE PAGE 2 OF 2 [DATE & TIME]

FROM [USER NAME]

FAX MESSAGE PART 2

~ 530 ~

FIG. 57

09575139.052300



FIG. 58



## ADD FAX CONTACT

PAGE 1 OF 1

DATE &amp; TIME

TITLE

TITLE

FIRST NAME

FIRST NAME

INITIALS

INITIALS

NICKNAME

NICKNAME

FAMILY NAME

FAMILY NAME

FAX NUMBER

FAX NUMBER

BLANK FORM

SUBMIT

FIG. 59